

In the Claims:

1. (Currently amended) A web tuner apparatus comprising:
 - a processor;
 - a memory;
 - ~~a first personal information store, said first personal information store comprising at least one of a plurality of relationships between a user definable identifier and media identifiers for a personal set of media sources, said personal information store capable of storing media identifiers for media sources of various types a media source;~~
 - a remotable media control device, capable of receiving media source selection information ~~with which media to receive may be selected, and with which said plurality of relationships between a user definable identifier and a media source is input;~~
 - a display, operable to provide information about media sources;
 - a plurality of receivers at least one receiver, operable to receive at least one of a plurality of types of media streams over distribution channels of various types from said media sources;
 - a switch, operable to select one of said ~~at least one of a plurality of types of media streams~~ received by said ~~at least one receiver~~ plurality of receivers in accordance with said media source selection information; and
 - an output interface, said output interface providing a media output pertaining to said media stream selected by said switch;
 - ~~wherein media are selected via a user interface that receives input of a selection of a media stream to be played from said media to receive, said selection made by selecting a user definable identifier for a media source of said media stream to be played, said user definable identifier being stored in said first personal information store, and thereupon commanding said switch to select said media stream to be played from among said at least one of a plurality of types of media received by said at least one receiver; wherein said media stream to be played is output via said output interface.~~

2. (Currently amended) The apparatus of claim 1, wherein said types of media include at least two types, said types ~~one~~ selected from cable television, television broadcast, radio broadcast, ~~world-wide web~~, and Internet based information.

3. (Currently amended) The apparatus of claim 1, wherein the personal information store further comprises at least one of a plurality of relationships between a user definable identifier and a media source ~~comprises~~ a logical channel table.

4. (Currently amended) The apparatus of claim 1, further comprising ~~wherein said user interface comprises~~ a channel service user interface for a plurality of media types, wherein said ~~sources of media~~ sources are mapped into logical channel values.

5. (Currently amended) The apparatus of claim 1, wherein ~~input requests the~~ media source selection information received from said remotable media control device ~~is~~ are processed by a main controller program process operatively disposed in said memory, said main controller program process providing inputs to select media sources to a media selector program process and inputs to customize channel information to a channel customize program process.

6. (Original) The apparatus of claim 1, further comprising:
a network interface, said network interface providing connectivity to a server.

7. (Currently amended) A web station apparatus comprising:
a processor;
a memory;
a display;
an input device;
a server;
a subscriber URL information store, said a subscriber URL information store comprising ~~at least one of a plurality of~~ hierarchical categories, said categories providing organization for identifiers of media content of various types; and

a network interface, said network interface providing connectivity to an Internet and enabling said web station apparatus to be accessible by a web tuner apparatus;

wherein media is accessible by commanding said server to search said hierarchical categories in said subscriber URL information store, to find media having content of interest, said content categorization performed using an interface provided by said web tuner.

8. (Currently amended) The web station apparatus of claim 7, wherein said ~~media further comprises media of disparate types, wherein said types of media include at least two one~~ selected from cable television, television broadcast, radio broadcast, world wide web, and Internet based information.

9. (Currently amended) The web station apparatus of claim 7, wherein said subscriber URL information store further comprises ~~at least one of a plurality of~~ relational categories that organize said media content.

10. (Original) The web station apparatus of claim 7, further comprising a personal channel information store, wherein a personal channel table stored in said web tuner is mirrored in said web station database, enabling users to reference said channel table from remote locations.

11. (Currently amended) A method for accessing media, said method comprising:

receiving at a receiver a plurality of media streams of different types from different distribution channels;

retrieving ~~at least one of a plurality of~~ identifiers for ~~a media source of~~ media streams previously identified by a user to be played;

displaying said ~~at least one of a plurality of~~ identifiers for ~~a media source of~~ media streams ~~to be played;~~

selecting via a user interface one of said identifiers corresponding to a media stream to be played ~~from at least one of a plurality of media to receive, said selecting performed~~

~~by selecting one from said at least one of a plurality of identifiers for a media source of media streams to be played;~~

commanding a switch to select said media stream corresponding to said selected identifier ~~to be played from among said at least one of a plurality of types of media received by at least one receiver;~~ and

outputting said media stream to be played via an output interface.

12. (Original) The method of claim 11, wherein said identifiers comprise user definable identifiers, said user definable identifiers being stored in a first personal information store.

13. (Currently amended) The method of claim 12, further comprising:
forwarding from a first location a copy of said first personal information store to a server;

creating at said server a copy of said first personal information store; and

accessing said copy of said first personal information store to retrieve ~~said at least one of a plurality of said~~ user definable identifiers ~~for a media source~~ of media streams to be played from a second location at a later time.

14. (Original) The method of claim 12, further comprising:
storing a user definable identifier for a media source of a media stream being played currently, said user definable identifier being stored in a first personal information store.

15. (Original) The method of claim 11, wherein said identifiers are stored in a subscriber URL information store.

16. (Currently amended) The method of claim 15, further comprising:
storing an identifier for a media source, said identifier being stored in a subscriber URL information store, said subscriber URL information store comprising ~~at least one of a~~

plurality of hierarchical categories, said categories providing organization for identifiers of media content.

17. (Currently amended) The method of claim 15, further comprising:
selecting via a user interface a related media stream to be played, said related media stream to be played having content related to said media stream to be played, said selecting performed by selecting one ~~from at least one~~ of a plurality of URL identifiers for said media stream to be played; and thereupon selecting a second URL identifier corresponding to said related media stream to be played.

18. (Currently amended) The method of claim 11, wherein said media further comprises media of disparate types, wherein said types of media include at least two ~~one~~ selected from cable television, television broadcast, radio broadcast, ~~world-wide web~~, and Internet based information.

19. (Original) The method of claim 12, further comprising:
receiving an identity of a user; and
providing a plurality of user definable identifiers for said user.

20. (Original) The method of claim 11, further comprising:
scanning an input source for at least one of a plurality of receivable television channels;
mapping said at least one of a plurality of receivable television channels to at least one of a plurality of identifiers;
scanning an input source for at least one of a plurality of receivable radio frequencies;
mapping said at least one of a plurality of receivable radio frequencies to at least one of a plurality of identifiers;
scanning an input source for at least one of a plurality of internet based media sources; and

mapping said at least one of a plurality of internet based media sources to at least one of a plurality of identifiers.